久铸

TOOL SUPPLIE

20V POWER TOOLS OEM/ODM定制






豆包AI生成

品牌介绍 ABOUT OUR FACTORY





工厂简介 ABOUT OUR FACTORY

久铸锂电是山东临沂专注中东、中亚市场的锂电工具源头出口工厂，深耕一带一路沿线市场，熟悉当地高温沙尘工况、工程采购标准与外贸流程，具备成熟的海外接单、定制、交付及售后经验。
工厂占地6000㎡，拥有自动化产线与百余名专业人员，实现核心零部件全自研自产，可针对中东、中亚户外基建、家装维修场景，优化产品耐高温、抗损耗性能，兼具品质与性价比。
工厂实行全流程外贸级品控，良品率达99%，严控出口包装与产品合规性，大幅降低海外售后风险。支持OEM/ODM定制、小批量试单与整柜批量出货，现货储备充足，7天快速出样，熟悉当地清关物流，可提供全套外贸单证，高效适配中东、中亚客户长期集采与备货需求。

FACTORY NAME

Jiuzhu Lithium Battery Technology is a professional manufacturer and exporter of lithium power tools based in Linyi, Shandong. We focus on the Middle East and Central Asia markets, with rich experience in serving Belt and Road regions. We are familiar with local high-temperature, dusty working conditions, engineering procurement standards and full export procedures.
Our 6,000 ㎡ factory is equipped with automatic production lines and professional teams. All core parts are self-produced. Our tools are specially optimized for local outdoor construction and home maintenance, featuring high temperature resistance and durability with cost-effective performance.
We adopt full-process export quality control with a 99% qualified rate. Strict standards for product performance and export packaging effectively reduce after-sales risks. We support OEM/ODM customization, trial orders and bulk shipments. With sufficient stock and 7-day sample delivery, we provide complete export documents and stable one-stop supply services for Middle East and Central Asia clients.

16.8V Aluminum body drill — DZ-001

产品技术参数 Product Technical Specifications

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion
锤子后盖 Hammer back cover



16.8V Double-speed drill — DZ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion
锤子后盖Hammer back cover



21V Impact Drill — DZ-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 80N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion
锤子后盖 Hammer back cover



21V Impact Drill — DZ-004

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 120N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



12V brushed drill — DZ-005

产品技术参数 Product Technical Specifications

额定电压(Rated voltage): 12V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



21V Dual-Speed Drill — DZ-006

产品技术参数 Product Technical Specifications

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



21V Dual-Speed Drill — DZ-007

产品技术参数 Product Technical Specifications

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



21V Dual-Speed Drill — DZ-008

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



16.8V Screwdriver Machine — QZJ-001

产品技术参数 Product Technical Specifications

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 50-70N.m
冲击频率(Impact frequency): 0-2700ipm
空载转速(No-load speed): 0-1800rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



16.8V All-aluminum Body Screwdriver Machine — QZJ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 60-80N.m
冲击频率(Impact frequency): 0-2700ipm
空载转速(No-load speed): 0-1800rpm

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion
锤子后盖 Hammer back cover



21V Screwdriver Machine — QZJ-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 50-70N.m
冲击频率(Impact frequency): 0-2700ipm
空载转速(No-load speed): 0-1800rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



21V Electric Wrench Tool Set — QZJ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 280-350N.m
冲击频率(Impact frequency): 0-2700ipm
空载转速(No-load speed): 0-1800rpm

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench BS-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 350N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion
锤子后盖 Hammer back cover



Electric wrench BS-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 500N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion
锤子后盖 Hammer back cover



Electric wrench BS-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 1000N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

全铝机身 Aluminum alloy body
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench BS-004

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 500N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

环形灯光 Ring-shaped light
无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench BS-005

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 800N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench BS-006

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 1500N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench BS-007

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 320N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench BS-008

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 320N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench BS-009

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 400N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

全铝机身Aluminum alloy body
无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench BS-010

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 600N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench BS-011

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 1100N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench BS-012

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 3600N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric wrench two-battery one-charger set TZ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 400N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric drill two batteries and one charger set TZ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric drill two batteries and one charger set TZ-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric drill two batteries and one charger set TZ-004

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench two-battery one-charger set TZ-005

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 800N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench two-battery one-charger set TZ-006

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 800N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Electric wrench two-battery one-charger set TZ-007

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大扭矩(Max torque): 400N.m
螺栓直径(Bolt diameter): M10-M18
空载转速(No-load speed): 0-3200rpm
冲击频率(Impact frequency):0-3000i/min

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Four-machine and four-electric set TZ-008

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 16.8V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Lithium battery angle grinder JMJ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage) 21v
额定功率(Rated power): 600W
空载转速(No-load speed): 0-7000rpm
磨片直径(Disc diameter)：125mm

无级变速 Continuous speed change
缓慢启动 Slow start
超高功率 Ultra-high power



Lithium battery angle grinder JMJ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage) 21v
额定功率(Rated power): 600W
空载转速(No-load speed): 0-7000rpm
磨片直径(Disc diameter)：125mm

无级变速 Continuous speed change
缓慢启动 Slow start
超高功率 Ultra-high power



Lithium battery electric hammer DC-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage) 21v
冲击频率(Impact frequency): 0-5000ipm
空载转速(No-load speed): 0-900rpm
冲击力(Impact force)：1.2J

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Lithium battery electric hammer DC-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage) 21v
冲击频率(Impact frequency): 0-5000ipm
空载转速(No-load speed): 0-900rpm
冲击力(Impact force)：1.8J

无级变速 Continuous speed change
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Lithium battery blow fan BFJ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
风量立方(Volume of air): 13m³/min
风量(Air volume): 375CFM
满电风压(Full charge wind pressure): 1200g

无级变速Continuous speed change
航空轴流风道 Aircraft axial flow duct
聚风型进气 Wind-gathering type intake



Lithium battery blow fan BFJ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
风量立方(Volume of air): 13m³/min
风量(Air volume): 375CFM
满电风压(Full charge wind pressure): 1200g

无级变速Continuous speed change
航空轴流风道 Aircraft axial flow duct
聚风型进气 Wind-gathering type intake



Lithium battery hair dryer CFJ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
额定功率(Rated power): 320W
风量(Air volume): 375CFM
空载转速(No-load speed): 13000r/min /

无级变速Continuous speed change
航空轴流风道 Aircraft axial flow duct
聚风型进气 Wind-gathering type intake



Lithium battery blow fan CFJ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
额定功率(Rated power): 600W
风量(Air volume): 375CFM
空载转速(No-load speed): 13000r/min /

无级变速Continuous speed change
航空轴流风道 Aircraft axial flow duct
聚风型进气 Wind-gathering type intake



Electric screwdriver LSD-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 12V
最大扭矩(Max torque): 40N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-1800rpm

46件套装 46 sets of clothing
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric screwdriver LSD-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 12V
最大扭矩(Max torque): 30N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-1800rpm

46件套装 46 sets of clothing
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Electric screwdriver LSD-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 12V
最大扭矩(Max torque): 30N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-1800rpm

46件套装 46 sets of clothing
内置工作灯 Built-in working light
正反转调节 Forward and reverse motion



Lithium battery mini angle grinder JMJ-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage) 12v
额定功率(Rated power): 300W
空载转速(No-load speed): 0-7000rpm
磨片直径(Disc diameter): 75mm

无级变速 Continuous speed change
缓慢启动 Slow start
超高功率 Ultra-high power



Lithium battery cutting machine CBJ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 3.7V
额定功率(Rated power): 35W
空载转速(No-load speed): 0-6000rpm
裁切厚度(Cutting thickness) :8mm

过载保护 Overload protection
电量显示 Battery level display



Lithium battery fabric scissors CBJ-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 3.7V
额定功率(Rated power): 35W
空载转速(No-load speed): 0-11000rpm
裁切厚度(Cutting thickness) :6mm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion
锤子后盖Hammer back cover



Lithium battery car wash gun XCQ-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
额定功率(Rated power): 360W
最大流量(Maximum flow): 4.1L/min
最大压力(Maximum pressure): 1.5Mpa

可乐瓶接口 Coke bottle connector
数显电量 Digital display of electricity consumption
多变水型 Variable water type



Lithium battery lawn mower YL-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
额定功率(Rated power): 650W
最大转速(Maximum rotational speed): 0-19000r/min
锯片直径(Diameter of the saw blade): 210mm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Lithium battery LED working lamp GZD-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大功率(Maximum power): 40W

内置工作灯Built-in working light



Lithium battery LED working lamp GZD-002

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大功率(Maximum power): 40W

内置工作灯Built-in working light



Lithium battery fan FS-001

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 12V
最大扭矩(Max torque): 60N.m
夹头范围(Collet range): ø10mm
空载转速(No-load speed): 0-480/1850rpm

无级变速Continuous speed change
内置工作灯Built-in working light
正反转调节Forward and reverse motion



Lithium battery LED working lamp GZD-003

产品技术参数 PRODUCT SPECIFICATIONS

额定电压(Rated voltage): 21V
最大功率(Maximum power): 40W

内置工作灯Built-in working light

